

KNOWLEDGE BASE · PUBLIC DOCUMENT

Query strings explained: what comes after the question mark, and what it changes

SEO & Marketing

CODE

RLX-AO-KB-2174

VERSION

v2026.10.16

COUNTRY · LANGUAGE

Angola · English

Interweb Angola

RLX Angola, Lda. · Group RLX Holdings

Tax ID (NIF) 500 260 5724 · Commercial registration no. 26464-25/250724

<https://www.meu.interweb.ao/knowledgebase/2174>



The short answer: everything after the **?** in an address is the query string: **name=value** pairs separated by **&**, up to the end of the address or a **#**. The page is the same one, but it receives them and may show something else: a search, a filter, page 2 of a list. Some parameters are not yours: ad platforms and social networks add their own click identifiers to links (such as `gclid` or `fbclid`). Parameters touch three things: the **content**, the **cache** and the **addresses Google sees**.

Kinds of parameter, and what to do with each

Kind and example	What to do
Search: <code>?s=shoes</code>	The site's own search (in WordPress it is called <code>s</code>). It does not need to appear in Google.
Filters and sorting: <code>?colour=blue&sort=price</code>	Every combination is a new address with almost the same content. The canonical tag should point to the clean version: the canonical tag .
Pagination: <code>?page=2</code>	Each page of the list points its canonical at itself, not at page 1.
Campaigns and clicks: <code>utm_source</code> , <code>gclid</code> , <code>fbclid</code>	They do not change the content: they are for measuring. Canonical to the clean version and, where the cache allows it, a cache that ignores them. See UTM links .
File version: <code>style.css?v=3</code>	Forces the browser to fetch the new version: versioned file names and cache busting .
Sessions, passwords and keys: <code>?token=...</code>	Avoid. They end up in history, in server logs and in any shared link.

Using parameters without breaking pages

1

Only one question mark. The first parameter goes after “?”, the rest after “&”. If the address already has a “?”, add with “&”:

`asuaempresa.ao/promo?utm_source=email&utm_medium=email` , not
`asuaempresa.ao/promo?utm_source=email?utm_medium=email` .

2

Values with spaces or symbols must be encoded: an “&” or a “#” inside a value cuts it in half. See **spaces, accents and symbols in links**.

3

Make sure redirects carry the parameters. In .htaccess, a `Redirect 301` passes them on to the destination by itself. A `RewriteRule` passes them too, **except** when the destination has its own “?”: then the old ones are dropped unless you add the `QSA` flag (the `QSD` flag drops them on purpose). Test with `curl -I "https://asuaempresa.ao/old-page?utm_source=test"` and check the destination still carries `utm_source` . More rules in **.htaccess for PHP projects**.

4

Review the page cache. A cache usually stores each combination of parameters as a separate page, and a click identifier that changes on every visit makes the cache miss every time. Look in your cache settings for an option to ignore campaign parameters: **installing and tuning a page cache**.

5

Tell Google which version is the main one: canonical to the clean address, and internal links always without campaign parameters.

6

If you write code, remember anyone can change a parameter in the bar. In PHP, whatever arrives in `$_GET` is validated and escaped before you display it or use it in a query: **a safe website form: validation**.

Never put passwords, access keys or personal data in the query string. The full address is kept in browser history, in the server's access logs, in analytics reports and in any screenshot or link someone copies and shares. That data goes in the body of a form sent by POST, never in the address.

A page only breaks when it comes from an ad? Open it with and without the `gclid` or `fbclid`. If it only fails with it, a plugin, a security rule or a redirect rule is reacting to the parameter.

Losing parameters in a redirect, or a page that fails only with them? Send us the full failing address and what you expected to see.

[Open a support ticket](#)

SEE ALSO

UTM links: finding out which campaign brought each visit

The canonical tag: duplicate pages, www or not, and which address Google keeps

Visitors still see the old CSS or logo: versioned file names and cache busting

Installing and tuning a page cache

Spaces, accents and symbols in links and file names: URL encoding without broken links

The parts of a web address: scheme, domain, port, path, query and fragment



Online version of this document

Interweb is a leading internet services company, with a mission to help businesses to be born and prosper through technology.

2020

FOUNDED

37,000+

CLIENTS

130+

SIGN-UPS A DAY

Interweb Angola

RLX Angola, Lda. • Group RLX Holdings

TAX ID (NIF)

500 260 5724

COMMERCIAL
REGISTRATION NO.

26464-25/250724

REGISTERED OFFICE

Rua Direita do Patriota, Bairro Dangereux
Belas, Luanda, Angola

CONTACT

info@interweb.ao • +244 942 011 191 • www.interweb.ao

OPENING HOURS

Monday to Friday - 08 AM to 04 PM
Saturday & Sunday - Closed