interweb

Generated on 13/11/2026 17:49

KNOWLEDGE BASE · PUBLIC DOCUMENT

Which sender addresses SMTP Relay accepts: verified domains, several domains, name and Reply-To

E-mail

CODE	VERSION	COUNTRY · LANGUAGE
RLX-AO-KB-2516	v2026.11.13	Angola · English

Interweb Angola
RLX Angola, Lda. · Group RLX Holdings
Tax ID (NIF) 500 260 5724 · Commercial registration no. 26464-25/250724

https://www.meu.interweb.ao/knowledgebase/2516

Which sender addresses SMTP Relay accepts: verified domains, several domains, name and Reply-To

E-mail Created on **November 13, 2026** 2 min read



The short answer: SMTP Relay sends from **any address on a domain you have verified** in the Email Center, and you can verify **several domains**. The address does not need to be a mailbox that exists. What it cannot be is an address on a domain you have not verified, such as a free webmail address: that is **refused**.

Which address for each e-mail

E-mail	Suggested sender	Reply-To
Passwords, codes, account confirmations	`no-reply@asuaempresa.ao`	Not needed.
Orders and deliveries	`orders@asuaempresa.ao`	The mailbox of whoever handles orders.
Invoices and statements	`billing@asuaempresa.ao`	The accounts mailbox, because customers reply to invoices.
System alerts	`alerts@asuaempresa.ao`	Not needed.

For choosing company addresses in general, see **which addresses a business should create**.

The name people see

Besides the address, the program sends a **From name**. It is the first thing the customer reads in the inbox: use your company or website name, and always the same one. A name that changes from one e-mail to the next, or says nothing («Admin», «WordPress»), makes people suspicious.

Forms: the visitor address goes in Reply-To

On a contact form it is tempting to use the visitor e-mail as the sender, so you can reply in one click. Do not: their domain is not verified, and the e-mail is refused. Put **your address as the sender** and **the visitor address in Reply-To**. The Reply button still goes straight to them.

Several domains

You can send from any domain you have verified: your company domain, a second brand, a campaign website. Each one is verified separately, with its own DNS records. An address on a subdomain of a verified domain also works.

«Sender refused» almost always means this:
The sender address is on a domain you have not verified, or it has a typo. Verify the domain or use an address on it.

Do people reply to a no-reply?
Some customers do anyway. If you do not want to lose those replies, use a real address or set a Reply-To.

RECOMMENDED

Want to send from more than one domain? Tell us which ones and how many e-mails you send each month, and we will prepare the proposal.

Ask for a proposal →

SEE ALSO

- **A domain that already has mailboxes: adding SMTP Relay with a single SPF record**
- **Getting started with SMTP Relay: verify the domain, create a credential, connect your program**
- **Which e-mail addresses a business should create: role addresses and personal ones**
- **SMTP Relay not sending: connection, TLS, login, sender and recipient problems, one by one**
- **Someone is sending e-mail in the name of your domain: what SPF, DKIM and DMARC do about it**

interweb

Interweb Angola

RLX Angola, Lda. · Group RLX Holdings

TAX ID (NIF)	500 260 5724
COMMERCIAL REGISTRATION NO.	26464-25/250724
REGISTERED OFFICE	Rua Direita do Patriota, Bairro Dangereux Belas, Luanda, Angola
CONTACT	info@interweb.ao · +244 942 011 191 · www.interweb.ao
OPENING HOURS	Monday to Friday - 08 AM to 04 PM Saturday & Sunday - Closed

Online version of this document

RLX-AO-KB-2516 · v2026.11.13 · Generated on 13/11/2026 17:49