interweb

Generated on 13/11/2026 18:14

KNOWLEDGE BASE · PUBLIC DOCUMENT

Reading an area page in our API docs: the guide on top, the operations below and the filter

WhatsApp & APIs

CODE	VERSION	COUNTRY · LANGUAGE
RLX-AO-KB-2714	v2026.11.13	Angola · English

Interweb Angola
RLX Angola, Lda. · Group RLX Holdings
Tax ID (NIF) 500 260 5724 · Commercial registration no. 26464-25/250724

https://www.meu.interweb.ao/knowledgebase/2714

Reading an area page in our API docs: the guide on top, the operations below and the filter

WhatsApp & APIs Created on **November 13, 2026** 2 min read



The short answer: each API area (Domains, DNS, SMS, Invoices and credit, and the rest) has a page with **two parts**. At the top, the **guide**: what you need and how each task is done. Below it, the **list of operations**, each with everything you need to call it.

The guide, at the top

Almost every page opens with **"What you need"**, which gives the permission your key must have and, where it applies, the service your account must have active. Then come sections by task, with links to the operations. Some pages end with **"What is planned"**: the list of what does not exist in the API yet and, for now, is done in Meu Interweb. The reading time at the top of the page refers to this guide.

The list of operations, below

1. **Each line shows the method, the name and the path**, such as `GET` "List DNS records".

2. **Click the line to open it.** You get the full address of the operation, with a **Copy** button, and the **Playground** button, which opens the test panel right there.

3. **Below that comes the explanation of the operation:** authentication, parameters, request body, examples, responses and errors. See **how to read an operation**.

Method	What it usually means
GET	Read: list items or see one. It changes nothing.
POST	Create or ask for an action: send an SMS, register a domain, open a support ticket.
PUT	Change: the nameservers, auto-renewal, a DNS record.

Method	What it usually means
DELETE	Delete: a DNS record, for example.

Going straight to an operation

Every operation has its own address. The link symbol next to its name copies it; anyone who opens that address lands on the area page with the operation already open. It is the quickest way to tell a colleague "this one".

The filter

On areas with many operations you get a **"Filter the operations of this area"** box. Type part of the name, the path or the method: the list shrinks as you type, and **Enter** opens the first one left.

Parts of the path in curly brackets are your own values.
In `/v1/domains/{domain}/dns`, `{domain}` is your domain name, for example `asuaempresa.ao`.

RECOMMENDED

See the list of areas and pick the one you are automating.

See the API areas →

SEE ALSO

- **Reading one API operation in our docs: permission, parameters, examples, responses and errors** →
- **How our API documentation is organised: Get started, Areas, API reference and Playground** →
- **The API Playground: trying a real request from your browser, step by step** →
- **Searching our API documentation: Ctrl+K, the slash key, results by section and recent searches** →
- **Handing our API docs to a developer or agency: section links, Markdown and the specification** →

interweb

Interweb Angola

RLX Angola, Lda. · Group RLX Holdings

TAX ID (NIF)	500 260 5724
COMMERCIAL REGISTRATION NO.	26464-25/250724
REGISTERED OFFICE	Rua Direita do Patriota, Bairro Dangereux Belas, Luanda, Angola
CONTACT	info@interweb.ao · +244 942 011 191 · www.interweb.ao
OPENING HOURS	Monday to Friday - 08 AM to 04 PM Saturday & Sunday - Closed

RLX-AO-KB-2714 · v2026.11.13 · Generated on 13/11/2026 18:14

Online version of this document