interweb

Generated on 13/11/2026 18:16

KNOWLEDGE BASE · PUBLIC DOCUMENT

Our API docs in Portuguese or English: where each language lives and how to switch

WhatsApp & APIs

CODE	VERSION	COUNTRY · LANGUAGE
RLX-AO-KB-2740	v2026.11.13	Angola · English

Interweb Angola
RLX Angola, Lda. · Group RLX Holdings
Tax ID (NIF) 500 260 5724 · Commercial registration no. 26464-25/250724

https://www.meu.interweb.ao/knowledgebase/2740

Our API docs in Portuguese or English: where each language lives and how to switch

WhatsApp & APIs Created on **November 13, 2026** 2 min read



The short answer: the whole documentation exists in **English** and **Portuguese**, page by page. The language selector at the top takes you to the **same page** in the other language, without going back to the start.

Where each language lives

One language sits at the root of the address and the other in its own folder: `/en` for English or `/pt` for Portuguese. The root holds the main language of the Interweb documentation. If you open the folder of the language that is at the root, the documentation takes you to the same place, so links with `/en` or `/pt` always work.

Shortcuts: **the documentation in English** and **the documentation in Portuguese**.

On some brands, the selector also lists the countries of the website; each country leads to the matching language of the documentation.

What changes with the language, and what does not

What	With the language
Texts, headings and menus	Translated.
Code examples	The same, with the `Accept-Language` header in the language of the page.
Field names, paths, permissions and error codes	In English in both languages.
API error messages	Depend on the `Accept-Language` header of the request, not on the language of the page. Without the header, they come in English.
Search	Each language has its own index.
Markdown versions	One per page and per language.

What	With the language
llms.txt	A single file, with both lists.

The message language in your program

To get error messages in Portuguese, your program sends:

```
Accept-Language: pt
```

The error `code` field **never changes with the language**. That is what your program should decide on; the message is for showing to people.

Working with a Portuguese-speaking team?
Send them the links to the Portuguese version, which has the same content. See **how to hand the documentation to a developer**.

RECOMMENDED

Prefer Portuguese? The same documentation, page by page.

See the Portuguese version →

SEE ALSO

- **Our API documentation: what it is, who it is for and how to find it**
- **Handing our API docs to a developer or agency: section links, Markdown and the specification**
- **Searching our API documentation: Ctrl+K, the slash key, results by section and recent searches**
- **Every page of our API docs in Markdown: View as Markdown, Copy page and what they are for**
- **How our API documentation is organised: Get started, Areas, API reference and Playground**

interweb

Interweb Angola

RLX Angola, Lda. · Group RLX Holdings

TAX ID (NIF)	500 260 5724
COMMERCIAL REGISTRATION NO.	26464-25/250724
REGISTERED OFFICE	Rua Direita do Patriota, Bairro Dangereux Belas, Luanda, Angola
CONTACT	info@interweb.ao · +244 942 011 191 · www.interweb.ao
OPENING HOURS	Monday to Friday - 08 AM to 04 PM Saturday & Sunday - Closed

Online version of this document

RLX-AO-KB-2740 · v2026.11.13 · Generated on 13/11/2026 18:16