interweb

Generated on 28/11/2026 14:46

KNOWLEDGE BASE · PUBLIC DOCUMENT

Aider with All in One AI: the two variables, the openai/ prefix and the context window

All in One AI


CODE	VERSION	COUNTRY · LANGUAGE
RLX-AO-KB-2948	v2026.11.28	Angola · English

Interweb Angola
RLX Angola, Lda. · Group RLX Holdings
Tax ID (NIF) 500 260 5724 · Commercial registration no. 26464-25/250724

https://www.meu.interweb.ao/knowledgebase/2948

Aider with All in One AI: the two variables, the openai/ prefix and the context window

All in One AI Created on **November 28, 2026** 10 min read



Aider is a terminal coding assistant that works inside your Git repository. It accepts any OpenAI-compatible API, so it can use All in One AI models with the Interweb key. You only need two variables and the model name with the `openai/` prefix.

Before you start

1. Create a key in the **API Center** with the `ai:read` and `ai:write` permissions. Use a `sandbox_` key to check the setup without spending and a `prod_` key to work. The fields are explained in **creating an API key**.

2. Have AI credits or an active Coding Plan in **All in One AI**.

3. Install Aider, as the official documentation says: `python -m pip install aider-install` and then `aider-install`.

1. The two variables

Aider reads the address from `OPENAI_API_BASE` and the key from `OPENAI_API_KEY`. **On Windows**, in Command Prompt or PowerShell:

```
setx OPENAI_API_BASE https://api.interweb.ao/v1
setx OPENAI_API_KEY "prod_..."
```

Close the terminal and open a new one, which will read the variables. **On Linux and macOS**:

```
export OPENAI_API_BASE=https://api.interweb.ao/v1
export OPENAI_API_KEY="prod_..."
```

To have them in every new terminal, add both lines to `~/.bashrc` or `~/.zshrc`. Note: these are OpenAI's names. Any other program on the computer that reads them will also use our API.

2. Open Aider with the model

```
cd my-project
aider --model openai/moonshotai/kimi-k2.7-code
```

`openai/` tells Aider to use the OpenAI-compatible format. The rest is the catalogue id, with its own slash. Say "hello". With a `sandbox_` key, the answer is always "Resposta de teste (sandbox).".

3. The "Unknown context window size" warning

Aider has no data on our models, so it warns that it does not know their context or cost. Its documentation says that in most cases you can ignore the warning. To give it the context, create the file `.aider.model.metadata.json` in your home folder. On Linux and macOS:

```
nano ~/.aider.model.metadata.json
```

In Windows PowerShell:

```
notepad "$HOME\.aider.model.metadata.json"
```

Notepad asks whether to create the file: answer yes. That way the name is exact. If you use **Save as**, choose **All files (*.*)** as the type: otherwise Windows adds `.txt` and the file becomes `.aider.model.metadata.json.txt`, which the tool does not read. Windows hides that ending. To check, type `dir` in the same folder: the name must end in `.json`.

Paste this and save:

```
{
    "openai/anthropic/claude-fable-5": { "max_tokens": 16000, "max_input_tokens":
1000000,       "max_output_tokens":       16000,       "input_cost_per_token":       0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
   "openai/anthropic/claude-fable-5.1": { "max_tokens": 16000, "max_input_tokens":
1000000,       "max_output_tokens":       16000,       "input_cost_per_token":       0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
    "openai/openai/gpt-6-astra-codex": { "max_tokens": 16000, "max_input_tokens":
1050000,       "max_output_tokens":       16000,       "input_cost_per_token":       0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
  "openai/anthropic/claude-fable-5.2-ccmax": { "max_tokens": 16000, "max_input_tokens":
1000000,       "max_output_tokens":       16000,       "input_cost_per_token":       0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
   "openai/openai/gpt-6.2-astra": { "max_tokens": 16000, "max_input_tokens": 1050000,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
   "openai/openai/gpt-6.2-astra-codex": { "max_tokens": 16000, "max_input_tokens":
1050000,       "max_output_tokens":       16000,       "input_cost_per_token":       0,
```

```
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
    "openai/openai/gpt-5.5": { "max_tokens": 16000, "max_input_tokens": 1050000,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
     "openai/anthropic/claude-opus-4.5-20251101-coding": { "max_tokens": 16000,
"max_input_tokens": 200000, "max_output_tokens": 16000, "input_cost_per_token": 0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
    "openai/anthropic/claude-opus-4.6": { "max_tokens": 16000, "max_input_tokens":
1000000,       "max_output_tokens":       16000,       "input_cost_per_token":       0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
    "openai/anthropic/claude-opus-4.7": { "max_tokens": 16000, "max_input_tokens":
1000000,       "max_output_tokens":       16000,       "input_cost_per_token":       0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
    "openai/anthropic/claude-opus-4.8": { "max_tokens": 16000, "max_input_tokens":
1000000,       "max_output_tokens":       16000,       "input_cost_per_token":       0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
  "openai/anthropic/claude-opus-5": { "max_tokens": 16000, "max_input_tokens": 1000000,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
    "openai/anthropic/claude-opus-5.5": { "max_tokens": 16000, "max_input_tokens":
1000000,       "max_output_tokens":       16000,       "input_cost_per_token":       0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
        "openai/moonshotai/kimi-k3.1-pro-highspeed": { "max_tokens": 16000,
"max_input_tokens": 1048576, "max_output_tokens": 16000, "input_cost_per_token": 0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
    "openai/openai/gpt-5.6-sol-codex": { "max_tokens": 16000, "max_input_tokens":
1050000,       "max_output_tokens":       16000,       "input_cost_per_token":       0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
   "openai/anthropic/claude-sonnet-4.6": { "max_tokens": 16000, "max_input_tokens":
200000, "max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token":
0, "litellm_provider": "openai", "mode": "chat" },
   "openai/moonshotai/kimi-k3": { "max_tokens": 16000, "max_input_tokens": 1048576,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
   "openai/google/gemini-3.1-pro-preview": { "max_tokens": 16000, "max_input_tokens":
1000000,       "max_output_tokens":       16000,       "input_cost_per_token":       0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
    "openai/anthropic/claude-sonnet-5": { "max_tokens": 16000, "max_input_tokens":
1000000,       "max_output_tokens":       16000,       "input_cost_per_token":       0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
  "openai/anthropic/claude-sonnet-5.5-aws": { "max_tokens": 16000, "max_input_tokens":
1000000,       "max_output_tokens":       16000,       "input_cost_per_token":       0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
    "openai/moonshotai/kimi-k3.1-pro": { "max_tokens": 16000, "max_input_tokens":
1048576,       "max_output_tokens":       16000,       "input_cost_per_token":       0,
```

```
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
  "openai/openai/gpt-6-sol-codex": { "max_tokens": 16000, "max_input_tokens": 1050000,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
    "openai/openai/gpt-6.1-sol-codex": { "max_tokens": 16000, "max_input_tokens":
1050000,       "max_output_tokens":       16000,       "input_cost_per_token":       0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
    "openai/openai/gpt-6.2-sol-codex": { "max_tokens": 16000, "max_input_tokens":
1050000,       "max_output_tokens":       16000,       "input_cost_per_token":       0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
  "openai/google/gemini-2.5-pro": { "max_tokens": 16000, "max_input_tokens": 1000000,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
  "openai/google/gemini-3.5-flash": { "max_tokens": 16000, "max_input_tokens": 1048576,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
    "openai/qwen/qwen3.7-max": { "max_tokens": 16000, "max_input_tokens": 1000000,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
  "openai/google/gemini-4-argon": { "max_tokens": 16000, "max_input_tokens": 1048576,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
  "openai/google/gemini-3.6-flash": { "max_tokens": 16000, "max_input_tokens": 1048576,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
    "openai/xai/grok-4.5": { "max_tokens": 16000, "max_input_tokens": 500000,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
    "openai/xai/grok-4.6": { "max_tokens": 16000, "max_input_tokens": 500000,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
    "openai/xai/grok-4.7": { "max_tokens": 16000, "max_input_tokens": 500000,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
  "openai/google/gemini-4-carbon-developer": { "max_tokens": 16000, "max_input_tokens":
1048576,       "max_output_tokens":       16000,       "input_cost_per_token":       0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
        "openai/anthropic/claude-haiku-4.5-20251001": { "max_tokens": 16000,
"max_input_tokens": 200000, "max_output_tokens": 16000, "input_cost_per_token": 0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
    "openai/openai/gpt-6.1-terra-codex": { "max_tokens": 16000, "max_input_tokens":
1050000,       "max_output_tokens":       16000,       "input_cost_per_token":       0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
    "openai/zai-org/glm-5.3": { "max_tokens": 16000, "max_input_tokens": 1048576,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
```

```
"litellm_provider": "openai", "mode": "chat" },
    "openai/qwen/qwen3.8-max": { "max_tokens": 16000, "max_input_tokens": 1000000,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
        "openai/bytedance/doubao-seed-2.1-pro-260628": { "max_tokens": 16000,
"max_input_tokens": 262144, "max_output_tokens": 16000, "input_cost_per_token": 0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
    "openai/zai-org/glm-5.1": { "max_tokens": 16000, "max_input_tokens": 202752,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
    "openai/deepseek-ai/deepseek-v4-pro": { "max_tokens": 16000, "max_input_tokens":
1048576, "max_output_tokens": 16000, "input_cost_per_token": 0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
   "openai/moonshotai/kimi-k2.6": { "max_tokens": 16000, "max_input_tokens": 262144,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
    "openai/moonshotai/kimi-k2.7-code": { "max_tokens": 16000, "max_input_tokens":
262144, "max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token":
0, "litellm_provider": "openai", "mode": "chat" },
  "openai/google/gemini-3.7-flash": { "max_tokens": 16000, "max_input_tokens": 1048576,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
  "openai/google/gemini-3.8-flash": { "max_tokens": 16000, "max_input_tokens": 1048576,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
    "openai/zai-org/glm-5": { "max_tokens": 16000, "max_input_tokens": 202752,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
   "openai/qwen/qwen3.5-397b-a17b": { "max_tokens": 16000, "max_input_tokens": 262144,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
    "openai/zai-org/glm-5.2": { "max_tokens": 16000, "max_input_tokens": 1048576,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
    "openai/xai/grok-4.3": { "max_tokens": 16000, "max_input_tokens": 1000000,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
        "openai/bytedance/doubao-seed-2.0-pro-260215": { "max_tokens": 16000,
"max_input_tokens": 262144, "max_output_tokens": 16000, "input_cost_per_token": 0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
   "openai/google/gemini-3-flash-preview": { "max_tokens": 16000, "max_input_tokens":
200000, "max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token":
0, "litellm_provider": "openai", "mode": "chat" },
    "openai/qwen/qwen3.8-27b": { "max_tokens": 16000, "max_input_tokens": 1048576,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
```

```
"litellm_provider": "openai", "mode": "chat" },
   "openai/tencent/hy4-preview": { "max_tokens": 16000, "max_input_tokens": 1048576,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
   "openai/moonshotai/kimi-k2.5": { "max_tokens": 16000, "max_input_tokens": 262144,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
  "openai/google/gemini-2.5-flash": { "max_tokens": 16000, "max_input_tokens": 1048576,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
   "openai/google/gemini-3.5-flash-lite": { "max_tokens": 16000, "max_input_tokens":
1048576,       "max_output_tokens":       16000,       "input_cost_per_token":       0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
    "openai/qwen/qwen3.5-plus": { "max_tokens": 16000, "max_input_tokens": 1000000,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
       "openai/bytedance/doubao-seed-2.1-turbo-260628":    {    "max_tokens":    16000,
"max_input_tokens": 262144, "max_output_tokens": 16000, "input_cost_per_token": 0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
  "openai/qwen/qwen3.5-122b-a10b": { "max_tokens": 16000, "max_input_tokens": 262144,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
    "openai/qwen/qwen3.5-27b": { "max_tokens": 16000, "max_input_tokens": 262144,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
   "openai/qwen/qwen3.6-plus": { "max_tokens": 16000, "max_input_tokens": 1000000,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
       "openai/bytedance/doubao-seed-2.0-lite-260428":    {    "max_tokens":    16000,
"max_input_tokens": 262144, "max_output_tokens": 16000, "input_cost_per_token": 0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
   "openai/qwen/qwen3.7-plus": { "max_tokens": 16000, "max_input_tokens": 1000000,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
   "openai/google/gemini-3.1-flash-lite": { "max_tokens": 16000, "max_input_tokens":
1048576,       "max_output_tokens":       16000,       "input_cost_per_token":       0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
  "openai/deepseek-ai/deepseek-v4.1-flash": { "max_tokens": 16000, "max_input_tokens":
1048576,       "max_output_tokens":       16000,       "input_cost_per_token":       0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
   "openai/meituan-longcat/longcat-2.0": { "max_tokens": 16000, "max_input_tokens":
1048756,       "max_output_tokens":       16000,       "input_cost_per_token":       0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
   "openai/xiaomi/mimo-v2.5-pro": { "max_tokens": 16000, "max_input_tokens": 1024000,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
```

```
"litellm_provider": "openai", "mode": "chat" },
   "openai/qwen/qwen3.6-35b-a3b": { "max_tokens": 16000, "max_input_tokens": 262144,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
       "openai/bytedance/doubao-seed-character-260628": { "max_tokens": 16000,
"max_input_tokens": 131072, "max_output_tokens": 16000, "input_cost_per_token": 0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
     "openai/tencent/hy3": { "max_tokens": 16000, "max_input_tokens": 262144,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
   "openai/zai-org/glm-5.3-flash": { "max_tokens": 16000, "max_input_tokens": 1048576,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
   "openai/deepseek-ai/DeepSeek-V3.2-Exp": { "max_tokens": 16000, "max_input_tokens":
163840, "max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token":
0, "litellm_provider": "openai", "mode": "chat" },
    "openai/deepseek-ai/deepseek-v3.2": { "max_tokens": 16000, "max_input_tokens":
163840, "max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token":
0, "litellm_provider": "openai", "mode": "chat" },
  "openai/anthropic/claude-haiku-5.5-ccmax": { "max_tokens": 16000, "max_input_tokens":
1000000, "max_output_tokens": 16000, "input_cost_per_token": 0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
  "openai/openai/gpt-6-luna-codex": { "max_tokens": 16000, "max_input_tokens": 1050000,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
       "openai/bytedance/doubao-seed-2.0-mini-260428": { "max_tokens": 16000,
"max_input_tokens": 262144, "max_output_tokens": 16000, "input_cost_per_token": 0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
   "openai/google/gemini-2.5-flash-lite": { "max_tokens": 16000, "max_input_tokens":
1048576, "max_output_tokens": 16000, "input_cost_per_token": 0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
   "openai/qwen/qwen3.5-flash": { "max_tokens": 16000, "max_input_tokens": 1000000,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
   "openai/deepseek-ai/deepseek-v4-flash": { "max_tokens": 16000, "max_input_tokens":
1048576, "max_output_tokens": 16000, "input_cost_per_token": 0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
        "openai/dots-studio/dots-3-note-prev-free": { "max_tokens": 16000,
"max_input_tokens": 512000, "max_output_tokens": 16000, "input_cost_per_token": 0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" }
}
```

The block key is the full name you pass in `--model`. The costs are 0 because Aider does not know our credits: the real spending shows in the History tab of **All in One AI**. We reserve credits for the maximum output the tool asks for in each answer. That is why the examples ask for 16,000 tokens: it is enough for coding and needs a smaller balance

than a higher value. Aider also reads this file at the root of the repository and in the folder where you start it.

So you do not have to type the model every time

Create `.aider.conf.yml` in your home folder, with this line:

```
model: openai/moonshotai/kimi-k2.7-code
```

Then just type `aider`. For another model, change the id. Use one that supports tools:

Model	Context	What for
`moonshotai/kimi-k2.7-code`	262,144 tokens	Built for coding: the starting point for everyday work.
`deepseek-ai/deepseek-v4-pro`	1,048,576 tokens	Strong reasoning, for big changes and hard bugs.
`zai-org/glm-5.2`	1,048,576 tokens	Made for agents: handles tools well in long tasks.
`deepseek-ai/deepseek-v4-flash`	1,048,576 tokens	Fast and cheap, for background tasks and short questions.

The ids are in the Models tab of **All in One AI** or in the API list. On Linux and macOS:

```
curl "https://api.interweb.ao/v1/models?type=text" -H "Authorization: Bearer $INTERWEB_API_KEY"
```

In Windows PowerShell:

```
curl.exe "https://api.interweb.ao/v1/models?type=text" -H "Authorization: Bearer $env:INTERWEB_API_KEY"
```

Each model comes with its `id` (always with the slash), its `context_length` and its price in `pricing`. Listing the models spends no credits.

If you get an error, see **errors when setting up a tool with All in One AI**.

RECOMMENDED

Want our models in Aider? Visit the Coding with AI page.

See Coding with AI →

SEE ALSO

- Errors when setting up a tool with All in One AI: 401, model not found, no credits, /v1 and rejected config files
- Which coding tool to use with All in One AI: OpenCode, Claude Code, Codex, Cursor, Cline, Kilo Code or Aider
- OpenCode with All in One AI: creating opencode.json from scratch, the key and the models
- Coding Plan: which plan to choose, what it costs and how to subscribe
- Coding with AI in All in One AI

interweb

Interweb Angola

RLX Angola, Lda. · Group RLX Holdings

TAX ID (NIF)	500 260 5724
COMMERCIAL REGISTRATION NO.	26464-25/250724
REGISTERED OFFICE	Rua Direita do Patriota, Bairro Dangereux Belas, Luanda, Angola
CONTACT	info@interweb.ao · +244 942 011 191 · www.interweb.ao
OPENING HOURS	Monday to Friday - 08 AM to 04 PM Saturday & Sunday - Closed

Online version of this document

RLX-AO-KB-2948 · v2026.11.28 · Generated on 28/11/2026 14:46