interweb

Generated on 28/11/2026 20:43

KNOWLEDGE BASE · PUBLIC DOCUMENT

The MCP server in Claude Code without a key: signing in with your account

MCP Server

CODE	VERSION	COUNTRY · LANGUAGE
RLX-AO-KB-3096	v2026.11.28	Angola · English

Interweb Angola
RLX Angola, Lda. · Group RLX Holdings
Tax ID (NIF) 500 260 5724 · Commercial registration no. 26464-25/250724

https://www.meu.interweb.ao/knowledgebase/3096

The MCP server in Claude Code without a key: signing in with your account

MCP Server Created on **November 28, 2026** 3 min read



In Claude Code, the All in One AI MCP server does not need a key. It signs in with your Interweb account, through OAuth, and Claude Code takes care of the rest. Before you start, have AI credits or an active Coding Plan in **All in One AI**.

1. Add the server, without a header

```
claude mcp add --transport http --scope user interweb-ai https://api.interweb.ao/mcp
```

`--scope user` makes the server available in all your projects. Without it, Claude Code keeps it only for the project of the folder you are in (**Claude Code docs**).

2. Authenticate

1. Open Claude Code and type `/mcp`. The server shows as needing authentication.
2. Choose the server and then **Authenticate**. Your browser opens the Meu Interweb sign-in page.
3. Sign in with your account and click **Allow** on the authorization screen. The browser goes back to Claude Code and the server is active.

Outside Claude Code, `claude mcp list` shows the server as "Needs authentication" until you sign in. According to the Claude Code docs, `claude mcp login interweb-ai` runs the same sign-in from the terminal.

What you see on the authorization screen

The app name, your account and the address it returns to. As Claude Code runs on your computer, the screen warns that it returns to `localhost`. It also shows the permissions: **See models, balance and requests** (`ai:read`) and **Make AI requests** (`ai:write`), which spends credits. More in **the authorization screen and connected apps**.

After you sign in

Claude Code keeps the access on your computer and renews it on its own. There is no key to copy, keep or rotate. Requests spend the credits or plan points of the account you signed in with, at the same prices as the API. Access lasts one hour and renews itself. If you do not use the server for 30 days, you have to authorize it again.

With your account, requests are always production. To test at no cost, use a `sandbox_` key in the header, as in **testing the MCP server in the Sandbox**.

Signing out and revoking access

To sign out, choose the server in `/mcp` and **Clear authentication**, or run `claude mcp logout interweb-ai`. The Claude Code docs warn that `claude mcp remove` deletes the access stored on your computer, but does not revoke it at the server.

To be sure the access is gone
, open **All in One AI**, the History tab, the Connected apps block, and click Revoke access. It stops at once.

Your key still works in Claude Code, if you prefer. The command with `--header` is in **the All in One AI MCP server**.

RECOMMENDED

Want images, videos and voice in Claude Code without keeping keys? See the Coding with AI page.

See Coding with AI →

SEE ALSO

- **The MCP server address and the two ways in: an API key or your account**
- **The authorization screen and connected apps: what an app can do and how to revoke it**
- **The All in One AI MCP server: images, video and voice inside Claude Code, Codex and ChatGPT**
- **Using Claude Code with All in One AI: the variables, the model and common errors**
- **Coding with AI in All in One AI**

interweb

Interweb Angola

RLX Angola, Lda. · Group RLX Holdings

TAX ID (NIF)	500 260 5724
COMMERCIAL REGISTRATION NO.	26464-25/250724
REGISTERED OFFICE	Rua Direita do Patriota, Bairro Dangereux Belas, Luanda, Angola
CONTACT	info@interweb.ao · +244 942 011 191 · www.interweb.ao
OPENING HOURS	Monday to Friday - 08 AM to 04 PM Saturday & Sunday - Closed

RLX-AO-KB-3096 · v2026.11.28 · Generated on 28/11/2026 20:43

Online version of this document