interweb

Generated on 28/11/2026 20:44

KNOWLEDGE BASE · PUBLIC DOCUMENT

Turning off non-essential traffic in Claude Code: CLAUDE_CODE_DISABLE_NONESSE

Claude Code


CODE	VERSION	COUNTRY · LANGUAGE
RLX-AO-KB-3126	v2026.11.28	Angola · English

Interweb Angola
RLX Angola, Lda. · Group RLX Holdings
Tax ID (NIF) 500 260 5724 · Commercial registration no. 26464-25/250724

https://www.meu.interweb.ao/knowledgebase/3126

Turning off non-essential traffic in Claude Code: CLAUDE_CODE_DISABLE_NONESSENTIAL_TRAFFIC

Claude Code Created on **November 28, 2026** 2 min read



Besides the AI requests, which come to our API, Claude Code contacts other services for things that are not part of your work, such as telemetry and automatic updates. `CLAUDE_CODE_DISABLE_NONESSENTIAL_TRAFFIC` turns that traffic off. It is optional.

What stops happening

According to the Claude Code documentation, with the variable set:

What	What changes for you
Automatic updates	You update Claude Code by hand, with `claude update`.
Telemetry and error reports	They are no longer sent.
The `/feedback` command	It is turned off.
Release notes	They no longer show.
Availability checks and feature flag fetching	The features that depend on them, such as Remote Control, become unavailable.

Remote Control is already turned off when `ANTHROPIC_BASE_URL` points to an address other than the model maker's, such as ours. With All in One AI, you lose nothing there.

What does not change

AI requests still go to the address in `ANTHROPIC_BASE_URL`, our API. The model, the price, the credits and the Coding Plan points stay the same.

Turning it on

```
export CLAUDE_CODE_DISABLE_NONESSENTIAL_TRAFFIC=1
claude
```

In `settings.json`, under the `env` key: `"CLAUDE_CODE_DISABLE_NONESSENTIAL_TRAFFIC": "1"`. It is the last line of the docs example. See **saving the setup in settings.json**.

Undoing it

Setting `0` or `false` does not bring the traffic back.
According to the Claude Code documentation, these values turn it off too. To undo it, remove the variable: `unset CLAUDE_CODE_DISABLE_NONESSENTIAL_TRAFFIC` in the terminal, or delete the line from `settings.json`.

Without automatic updates, update now and then with `claude update`. Check your version with `claude --version`.

RECOMMENDED

Want to code with AI in Claude Code? Visit the Coding with AI page.

See Coding with AI →

SEE ALSO

- **Using Claude Code with All in One AI: the variables, the model and common errors**
- **Saving the Claude Code setup in settings.json so you do not set the variables every time**
- **ANTHROPIC_AUTH_TOKEN or ANTHROPIC_API_KEY: which one to use in Claude Code**
- **Coding with AI in All in One AI**

interweb

Interweb Angola

RLX Angola, Lda. · Group RLX Holdings

TAX ID (NIF)	500 260 5724
COMMERCIAL REGISTRATION NO.	26464-25/250724
REGISTERED OFFICE	Rua Direita do Patriota, Bairro Dangereux Belas, Luanda, Angola
CONTACT	info@interweb.ao · +244 942 011 191 · www.interweb.ao
OPENING HOURS	Monday to Friday - 08 AM to 04 PM Saturday & Sunday - Closed

Online version of this document

RLX-AO-KB-3126 · v2026.11.28 · Generated on 28/11/2026 20:44