interweb

Generated on 15/11/2026 00:12

KNOWLEDGE BASE · PUBLIC DOCUMENT

Installing Evolution API with Docker Compose on a VPS

Evolution API

CODE	VERSION	COUNTRY · LANGUAGE
RLX-AO-KB-960	v2026.10.10	Angola · English

Interweb Angola
RLX Angola, Lda. · Group RLX Holdings
Tax ID (NIF) 500 260 5724 · Commercial registration no. 26464-25/250724

https://www.meu.interweb.ao/knowledgebase/960

Installing Evolution API with Docker Compose on a VPS

Evolution API Created on **October 10, 2026** 3 min read



You install Evolution API on a VPS with **Docker Compose**: one file describes the services (the API, the database and, in many guides, Redis), a second file holds the settings, and one command brings it all up. What this article does not do is copy the compose file, because it changes with each version. The right file is in the project's **official documentation**, and that is where you should take it from.

Before you start

You need	Why
A VPS with root access	Evolution API does not run on shared hosting, which has no Docker. See **first steps with your VPS**.
An operating system with good documentation	Ubuntu 22.04 LTS has the most. See **which operating system to choose**.
Docker and Docker Compose	If you do not have them yet, start with **installing Docker and Docker Compose**.
A domain or subdomain	To put HTTPS in front of the API. It can come later, but do not leave the API open in the meantime.

Step by step

1. **Connect to the VPS over SSH** and create a folder for this project alone, for example `evolution`. Everything that follows lives inside it, which makes backups easier.

2. **Get the compose file from Evolution API's official documentation**, along with the example settings file that goes with it. Check that the example matches the version of the image you are going to use.

3 **Generate the API key.** The `AUTHENTICATION_API_KEY` setting protects every request. Make it random, for instance with `openssl rand -hex 32`, and write it into the settings file. Never publish it.

4 **Pick the database.** PostgreSQL or MySQL, according to the documentation. Use a strong password, different from the API key. If the example includes Redis, leave it in.

5 **Check the volumes.** The compose file must keep the instances and the database in volumes. Without them a restart wipes the sessions and you scan every QR code again.

6 **Bring the services up** with `docker compose up -d`, in the project folder.

7 **See whether they started.** `docker compose ps` lists the services and `docker compose logs -f` follows the logs. Look for database connection errors or missing settings.

Do not leave the API exposed and unprotected.
Until you have HTTPS and a firewall, the key is the only barrier. Docker publishes ports by editing the network rules itself, so an ordinary firewall may not hide them. Read **securing Evolution API**.

When something goes wrong

Symptom	Where to look
The API service restarts over and over	The logs: database unreachable, a setting missing, or a password that differs between the files.
The database will not start	Disk space and volume permissions. See **Docker filling the disk**.
You cannot reach the API from outside	The port and the firewall. See **ports and firewall on a VPS**.
Everything is lost on restart	The persistent volume is missing. Fix the compose file before linking any number.

Do not use `docker compose down -v` to “clean up”. The `-v` option deletes the volumes, and with them the database and the sessions. To stop the services without losing data, plain `docker compose down` is enough.

RECOMMENDED

No server yet? Pick a VPS with root access.

See VPS servers →

SEE ALSO

- **Installing Docker and Docker Compose** →
- **Docker Compose with a database** →
- **VPS servers** →

interweb

Interweb Angola

RLX Angola, Lda. · Group RLX Holdings

TAX ID (NIF)	500 260 5724
COMMERCIAL REGISTRATION NO.	26464-25/250724
REGISTERED OFFICE	Rua Direita do Patriota, Bairro Dangereux Belas, Luanda, Angola
CONTACT	info@interweb.ao · +244 942 011 191 · www.interweb.ao
OPENING HOURS	Monday to Friday - 08 AM to 04 PM Saturday & Sunday - Closed

Online version of this document

RLX-AO-KB-960 · v2026.10.10 · Generated on 15/11/2026 00:12